

CONDENCIDE {FROM BATCH NO. 0081032}

Page: 1

Compilation date: 12/08/2019

Revision No: 1.0

Section 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product name: CONDENCIDE {FROM BATCH NO. 0081032} REACH registered number(s): EXEMPT - MIXTURE Product code: 008 UFI: 2WHC-DEHK-A206-V1SD 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of substance / mixture: Air Conditioning Evaporator cleaner with disinfectant PC8: Biocidal products (e.g. Disinfectants, pest control). 1.3. Details of the supplier of the safety data sheet Company name: Advanced Engineering Ltd **Guardian House** Stroudley Road Basingstoke Hampshire **RG24 8NL** United Kingdom Tel: +44(0)1256460300 Fax: +44(0)1256462266 Email: sales@advancedengineering.co.uk 1.4. Emergency telephone number **Emergency tel:** Advanced Engineering Ltd (24hr) +44 (0)203 394 9889

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1B: H314

Most important adverse effects: Causes severe skin burns and eye damage.

2.2. Label elements

Label elements:

Hazard statements: H314: Causes severe skin burns and eye damage.

Hazard pictograms: GHS05: Corrosion



Signal words: Danger

CONDENCIDE {FROM BATCH NO. 0081032}

Precautionary statements:	P261: Avoid breathing spray.
	P262: Do not get in eyes, on skin, or on clothing.
	P280: Wear protective clothing, eye protection, face protection.
	P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water .
	P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for
	breathing.
	P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
Haz. ingredients (label):	DIDECYLDIMETHYLAMMONIUM CHLORIDE
2.3. Other hazards	

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

DIDECYLDIMETHYLAMMONIUM CHLORIDE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
230-525-2	7173-51-5	-	Acute Tox. 4: H302; Skin Corr. 1B:	1-10%
			H314	

2-AMINOETHANOL

205-483-3	141-43-5	-	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Skin Corr. 1B:	1-10%
			H314	

NON-IONIC SURFACTANT:

- 68991-48-0 - Eye Irrit. 2: H319 1-10%

ETHANOL

200-578-6	64-17-5	Substance with a Community workplace exposure limit.	Flam. Liq. 2: H225	1-10%
-----------	---------	--	--------------------	-------

AMINES, C12-18 (EVEN NUMBERED) - ALKYLDIMETHYL, N-OXIDES - REACH registered number(s): 01-2119489396-21-0002

9	931-341-1	-	-	Acute Tox. 4: H302; Skin Irrit. 2: H315;	<1%
				Eye Dam. 1: H318; Aquatic Acute 1:	
				H400; Aquatic Chronic 2: H411	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still

on skin. Transfer to hospital if there are burns or symptoms of poisoning.

Page: 2

CONDENCIDE {FROM BATCH NO. 0081032}

Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist
	examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Move to fresh air in case of accidental inhalation of vapours. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.
 Eye contact: There may be pain and redness. The eyes may water profusely. Corneal burns may occur. May cause permanent damage.

- **Ingestion:** Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.
- **Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises. Do not induce vomiting.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised

personnel. If outside keep bystanders upwind and away from danger point. Do not

attempt to take action without suitable protective clothing - see section 8 of SDS. Turn

Page: 3

CONDENCIDE {FROM BATCH NO. 0081032}

Page: 4

leaking containers leak-side up to prevent the escape of liquid. Remove all incompatible materials as outlined in section 10 of SDS.

6.2. Environmental precautions

Environmental precautions: In bulk packaged form, do not discard into Drains, Sewers or surface water courses. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Wash the spillage site with large amounts of water. Avoid all incompatible materials in clean-up procedure - see section 10 of SDS. Refer to section 13 of SDS for suitable method of disposal.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): Air Conditioning Evaporator cleaner with disinfectant PC8: Biocidal products (e.g.

Disinfectants, pest control).

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

2-AMINOETHANOL

Workplace exposure limits:

State 8 hour TWA 15 min. STEL 8 hour TWA 15 min. STEL UK 2.5 mg/m3 7.6 mg/m3

Respirable dust

ETHANOL

UK	1920 mg/m3	-	-	-
----	------------	---	---	---

CONDENCIDE {FROM BATCH NO. 0081032}

DNEL/PNEC Values

Hazardous ingredients:

AMINES, C12-18 (EVEN NUMBERED) - ALKYLDIMETHYL, N-OXIDES

Туре	Exposure	Value	Population	Effect
DNEL	Dermal	11 mg/kg bw/day	Workers	Systemic
DNEL	Inhalation	15.5 mg/m³	Workers	Systemic
DNEL	Dermal	5.5 mg/kg bw/day	Consumers	Systemic
DNEL	Inhalation	3.8 mg/m ³	Consumers	Systemic
DNEL	Oral	0.44 mg/kg bw/day	Consumers	Systemic
DNEL	Dermal	0.045 mg/cm ²	Workers	Local
DNEL	Dermal	0.045 mg/cm ²	Consumers	Local
PNEC	Fresh water	0.0335 mg/l	-	-
PNEC	Marine water	0.00335 mg/l	-	-
PNEC	Water	0.0335 mg/l	-	-
PNEC	Soil (agricultural)	1.02 mg/kg	-	-
PNEC	Microorganisms in sewage treatment	24 mg/l	-	-

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area. Ensure all engineering measures
	mentioned in section 7 of SDS are in place.
Respiratory protection:	Respiratory protection not required.
Hand protection: Nitrile gloves. EN 374-1:2003	
Eye protection:	Tightly fitting safety goggles. Ensure eye bath is to hand.
Skin protection:	Impermeable protective clothing.
Environmental:	In bulk packaged form, do not discard into Drains, Sewers or surface water courses.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid
Colour:	Blue
Odour:	Odourless
Oxidising:	Not applicable.
Solubility in water:	Miscible in all proportions
Relative density:	1.008

9.2. Other information

Other information: Not applicable.

pH: 11.0

CONDENCIDE {FROM BATCH NO. 0081032}

Page: 6

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

DIDECYLDIMETHYLAMMONIUM CHLORIDE

IPR	RAT	LD50	45	mg/kg
ORL	MUS	LD50	268	mg/kg

2-AMINOETHANOL

IVN	RAT	LD50	225	mg/kg
ORL	MUS	LD50	700	mg/kg
ORL	RAT	LD50	1720	mg/kg
SCU	RAT	LD50	1500	mg/kg

ETHANOL

IVN	RAT	LD50	1440	mg/kg
ORL	MUS	LD50	3450	mg/kg
ORL	RAT	LD50	7060	mg/kg

CONDENCIDE {FROM BATCH NO. 0081032}

Page: 7

AMINES, C12-18 (EVEN NUMBERED) - ALKYLDIMETHYL, N-OXIDES

DERMAL RAT LD50 > 2,000 mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact:	Blistering may occur. Progressive ulceration will occur if treatment is not immediate.
Eye contact:	There may be pain and redness. The eyes may water profusely. Corneal burns may
	occur. May cause permanent damage.
Ingestion:	Corrosive burns may appear around the lips. Blood may be vomited. There may be
	bleeding from the mouth or nose.
Inhalation:	There may be shortness of breath with a burning sensation in the throat. Exposure may
	cause coughing or wheezing.
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.
Other information:	Not applicable.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

AMINES, C12-18 (EVEN NUMBERED) - ALKYLDIMETHYL, N-OXIDES

ALGAE	72H ErC50	0.19	mg/l
Daphnia magna	48H EC50	2.4	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	1.26	mg/l

12.2. Persistence and degradability

Persistence and degradability: The biodegradability of the surfactants contained in this product are in accordance with

the requirements of the EU Detergent Regulation (EC/648/2004). Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil. Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

CONDENCIDE {FROM BATCH NO. 0081032}

Page: 8

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal
	company.
Recovery operations:	Recovery of components used for pollution abatement.
Waste code number:	16 03 03
Disposal of packaging:	Clean with water. Dispose of as normal industrial waste. May be reused following
	decontamination.
NB:	The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1903

14.2. UN proper shipping name

Shipping name: DISINFECTANT, LIQUID, CORROSIVE, N.O.S.

(DIDECYLDIMETHYLAMMONIUM CHLORIDE)

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: ||

14.5. Environmental hazards

Environmentally hazardous: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 2

IMDG seg. group: 18

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: This product is or contains a a dangerous chemical for export or import according to

Regulation (EC) No 689/2008. Regulation (EC) No 1272/2008 of the European

Parliament and of the Council of the 16th December 2008 on Classification, labeling

Marine pollutant: No

CONDENCIDE {FROM BATCH NO. 0081032}

and packaging of Substances and Mixtures. The biodegradability of the surfactants
contained in this product are in accordance with the requirements of the EU Detergent
Regulation (EC/648/2004).

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 * indicates text in the SDS which has changed since the last revision. Phrases used in s.2 and s.3: H225: Highly flammable liquid and vapour. H302: Harmful if swallowed. H312: Harmful in contact with skin. H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H318: Causes serious eye damage. H319: Causes serious eye irritation. H332: Harmful if inhaled. H400: Very toxic to aquatic life. H411: Toxic to aquatic life with long lasting effects. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Page: 9