

an ASPEN PUMPS GROUP brand

## **SAFETY DATA SHEET**

DRAINKLEEN (FROM BATCH NO. 0095000)

Page: 1

Compilation date: 31/1/2013

**Revision date:** 04/05/2020

Revision No: 2.0

# Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: DRAINKLEEN (FROM BATCH NO. 0095000)

REACH registered number(s): EXEMPT - MIXTURE

Product code: 009

UFI: \* 48S2-4QX0-H20W-8CVM

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: \* Air Conditioning drain unblocker PC35: Washing and cleaning products (including

solvent based products).

# 1.3. Details of the supplier of the safety data sheet

Company name: Advanced Engineering Ltd

Guardian House Stroudley Road Basingstoke Hampshire RG24 8NL United Kingdom

**Tel:** +44(0)1256460300 **Fax:** +44(0)1256462266

Email: sales@advancedengineering.co.uk

#### 1.4. Emergency telephone number

Emergency tel: Advanced Engineering Ltd (24hr) +44 (0)203 394 9889

#### Section 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1A: H314

Most important adverse effects: Causes severe skin burns and eye damage.

#### 2.2. Label elements

Label elements:

UFI: 48S2-4QX0-H20W-8CVM

Hazard statements: H314: Causes severe skin burns and eye damage.

Hazard pictograms: GHS05: Corrosion



DRAINKLEEN (FROM BATCH NO. 0095000)

Page: 2

Signal words: Danger

Precautionary statements: \* P260: Do not breathe fume.

P262: Do not get in eyes, on skin, or on clothing.

P280: Wear protective clothing, eye protection, face protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305+P351+P338+P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.. Immediately call a

doctor.

#### 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

#### 3.2. Mixtures

# Hazardous ingredients:

#### SODIUM HYDROXIDE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
215-185-5	1310-73-2	-	Skin Corr. 1A: H314	10-30%

# Section 4: First aid measures

# 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still

on skin. Transfer to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10

minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital

as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If

unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and

provide oxygen if available. Transfer to hospital as soon as possible.

#### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be redness or whiteness of the skin in the area of exposure. Blistering may

occur. Progressive ulceration will occur if treatment is not immediate. Severe burns may

occur.

DRAINKLEEN (FROM BATCH NO. 0095000)

Page: 3

Eye contact: There may be pain and redness. There may be severe pain. The eyes may water

profusely. Corneal burns may occur. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Corrosive burns may

appear around the lips. Blood may be vomited. There may be bleeding from the mouth

or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

## 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: \* Show this safety data sheet to the doctor in attendance. Do not induce vomiting. Eye

bathing equipment should be available on the premises.

#### Section 5: Fire-fighting measures

## 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

## Section 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: If outside keep bystanders upwind and away from danger point. Mark out the

contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid. Remove all incompatible

materials as outlined in section 10 of SDS.

#### 6.2. Environmental precautions

**Environmental precautions:** In bulk packaged form, do not discard into Drains, Sewers or surface water courses.

Contain the spillage using bunding.

# 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** \* Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method. Wash the spillage site with large amounts of water.

Avoid all incompatible materials in clean-up procedure - see section 10 of SDS. Refer to

section 13 of SDS for suitable method of disposal.

DRAINKLEEN (FROM BATCH NO. 0095000)

Page: 4

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

## Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Avoid incompatible

materials and conditions - see section 10 of SDS.

Suitable packaging: Must only be kept in original packaging.

## 7.3. Specific end use(s)

Specific end use(s): \* Air Conditioning drain unblocker PC35: Washing and cleaning products (including

solvent based products).

# Section 8: Exposure controls/personal protection

## 8.1. Control parameters

#### Hazardous ingredients:

# **SODIUM HYDROXIDE**

#### Workplace exposure limits:

Respirable dus	t:
----------------	----

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	2 mg/m3	-	-

#### **DNEL/PNEC Values**

#### **DNEL / PNEC** No data available.

#### 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Ensure all engineering measures

mentioned in section 7 of SDS are in place.

Respiratory protection: Respiratory protection not required.

Hand protection: \* Nitrile gloves. EN 374-1:2003

**Eye protection:** Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

Environmental: In bulk packaged form, do not discard into Drains, Sewers or surface water courses.

Ensure all engineering measures mentioned in section 7 of SDS are in place.

# Section 9: Physical and chemical properties

DRAINKLEEN (FROM BATCH NO. 0095000)

Page: 5

## 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colourless

Odour: Characteristic odour

**Evaporation rate:** Slow

Solubility in water: Miscible in all proportions

## 9.2. Other information

Other information: Not applicable.

# Section 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

## 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

# 10.4. Conditions to avoid

Conditions to avoid: Heat.

## 10.5. Incompatible materials

Materials to avoid: Acids. Strong oxidising agents.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

# **Section 11: Toxicological information**

## 11.1. Information on toxicological effects

# Hazardous ingredients:

#### **SODIUM HYDROXIDE**

IPR	MUS	LD50	40	mg/kg
ORL	RBT	LDLO	500	mg/kg

## Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated

DRAINKLEEN (FROM BATCH NO. 0095000)

Page: 6

Serious eye damage/irritation	OPT	Hazardous: calculated
-------------------------------	-----	-----------------------

#### Symptoms / routes of exposure

Skin contact: There may be redness or whiteness of the skin in the area of exposure. Blistering may

occur. Progressive ulceration will occur if treatment is not immediate. Severe burns may

occur.

Eye contact: There may be pain and redness. There may be severe pain. The eyes may water

profusely. Corneal burns may occur. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Corrosive burns may

appear around the lips. Blood may be vomited. There may be bleeding from the mouth

or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Other information: Not applicable.

## **Section 12: Ecological information**

#### 12.1. Toxicity

Ecotoxicity values: No data available.

# 12.2. Persistence and degradability

Persistence and degradability: The biodegradability of the surfactants contained in this product are in accordance with

the requirements of the EU Detergent Regulation (EC/648/2004). Readily

biodegradable.

## 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

## 12.4. Mobility in soil

**Mobility:** Readily absorbed into soil. Soluble in water.

# 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

# 12.6. Other adverse effects

Other adverse effects: \* Negligible ecotoxicity.

# **Section 13: Disposal considerations**

#### 13.1. Waste treatment methods

Disposal operations: \* Transfer to a suitable container and arrange for collection by specialised disposal

company.

**Recovery operations:** Recovery of components used for pollution abatement.

Waste code number: \* 16 03 03

DRAINKLEEN (FROM BATCH NO. 0095000)

Page: 7

**Disposal of packaging:** Clean with water. May be reused following decontamination.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

# **Section 14: Transport information**

#### 14.1. UN number

UN number: UN1719

#### 14.2. UN proper shipping name

Shipping name: CAUSTIC ALKALI LIQUID, N.O.S.

(SODIUM HYDROXIDE)

# 14.3. Transport hazard class(es)

Transport class: 8

#### 14.4. Packing group

Packing group: II

#### 14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

## 14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E
Transport category: 2
IMDG seg. group: 18

## **Section 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: \* Regulation (EC) No 1272/2008 of the European Parliament and of the

Council of the 16th December 2008 on Classification, labeling and packaging of Substances and Mixtures. The biodegradability of the surfactants contained in this product are in accordance with the requirements of the EU Detergent Regulation

(EC/648/2004).

# 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

# **Section 16: Other information**

#### Other information

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation

DRAINKLEEN (FROM BATCH NO. 0095000)

Page: 8

(EU) 2015/830

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H314: Causes severe skin burns and eye damage.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.