

SUPERCLEAN {FROM BATCH NO. 0171000}

Page: 1

Compilation date: 31/07/2019

Revision No: 1.0

# Section 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product name: SUPERCLEAN (FROM BATCH NO. 0171000) REACH registered number(s): EXEMPT - MIXTURE Product code: 017 UFI: VX2S-202V-7501-AGFW 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of substance / mixture: Air Conditioning condenser cleaner PC35: Washing and cleaning products (including solvent based products). 1.3. Details of the supplier of the safety data sheet Company name: Advanced Engineering Ltd **Guardian House** Stroudley Road Basingstoke Hampshire **RG24 8NL** United Kingdom Tel: +44(0)1256460300 Fax: +44(0)1256462266 Email: sales@advancedengineering.co.uk 1.4. Emergency telephone number Emergency tel: Advanced Engineering Ltd (24hr) +44 (0)203 394 9889

# Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1A: H314

Most important adverse effects: Causes severe skin burns and eye damage.

2.2. Label elements

Label elements:

Hazard statements: H314: Causes severe skin burns and eye damage.

Hazard pictograms: GHS05: Corrosion



Signal words: Danger

#### SUPERCLEAN {FROM BATCH NO. 0171000}

<u></u>	Other hererde	
	Haz. ingredients (label):	POTASSIUM HYDROXIDE
		contact lenses, if present and easy to do. Continue rinsing.
		P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
		Rinse skin with water .
		P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.
		P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
		P280: Wear protective clothing, eye protection, face protection.
		P262: Do not get in eyes, on skin, or on clothing.
Ρ	Precautionary statements:	P260: Do not breathe spray.

2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

#### 3.2. Mixtures

# Hazardous ingredients:

#### POTASSIUM HYDROXIDE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
215-181-3	1310-58-3	-	Acute Tox. 4: H302; Skin Corr. 1A: H314	10-30%

#### SODIUM HYDROXIDE

215-185-5 1310-73	3-2 -	Skin Corr. 1A: H314	1-10%
-------------------	-------	---------------------	-------

# DISODIUM METASILICATE

229-912-9	229-912-9 6834-92-0 - Skin Corr. 1B: H314; STOT SE 3: H335						
ALKYLAMINE (C12-18) - REACH registered number(s): 01-2119980040-48							
-	14960-06-6	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319	1-10%			

#### Non-classified ingredients:

# NON-IONIC SURFACTANT; - REACH registered number(s): 01-2119488530-36-XXXX

	EINECS	CAS	PBT / WEL	CLP Classification	Percent
50	00-220-1	68515-73-1	-	Eye Dam. 1: H318	<1%

# Section 4: First aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still

on skin. Transfer to hospital if there are burns or symptoms of poisoning.

**Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

#### SUPERCLEAN {FROM BATCH NO. 0171000}

Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink			
	minutes. If unconscious, check for breathing and apply artificial respiration if necessary.		
	If unconscious and breathing is OK, place in the recovery position. Transfer to hospital		
as soon as possible.			

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

## 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

- **Eye contact:** There may be pain and redness. The vision may become blurred. The eyes may water profusely. Corneal burns may occur. May cause permanent damage.
  - **Ingestion:** Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.
  - **Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

### Section 5: Fire-fighting measures

5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

## Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid. Remove all incompatible materials as outlined in section 10 of SDS.

#### SUPERCLEAN {FROM BATCH NO. 0171000}

#### 6.2. Environmental precautions

Environmental precautions: In bulk concentrated form, avoid spillage into drains, sewers and water courses.

Contain the spillage using bunding.

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method. Wash the spillage site with large amounts of water.

Avoid all incompatible materials in clean-up procedure - see section 10 of SDS. Refer to

section 13 of SDS for suitable method of disposal.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

# Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

## 7.3. Specific end use(s)

**Specific end use(s):** Air Conditioning condenser cleaner PC35: Washing and cleaning products (including solvent based products).

#### Section 8: Exposure controls/personal protection

8.1. Control parameters

#### Hazardous ingredients:

#### POTASSIUM HYDROXIDE

#### Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	2 mg/m3	-	-

**Respirable dust** 

#### SODIUM HYDROXIDE

UK -	2 mg/m3	-	-
------	---------	---	---

#### **DNEL/PNEC** Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Ensure all engineering measures

mentioned in section 7 of SDS are in place.

#### SUPERCLEAN {FROM BATCH NO. 0171000}

Respiratory protection:Respiratory protection not required.Hand protection:Nitrile gloves. EN 374-1:2003Eye protection:Tightly fitting safety goggles. Ensure eye bath is to hand.Skin protection:Impermeable protective clothing.In bulk concentrated form, avoid spillage into drains, sewers and water courses. Ensure<br/>all engineering measures mentioned in section 7 of SDS are in place.

# **Section 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

State:LiquidColour:BrownOdour:Irritating odourEvaporation rate:SlowSolubility in water:SolublepH:13.5

#### 9.2. Other information

Other information: Not applicable.

#### Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

#### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

#### Section 11: Toxicological information

11.1. Information on toxicological effects

# SUPERCLEAN {FROM BATCH NO. 0171000}

Page: 6

# Hazardous ingredients:

#### POTASSIUM HYDROXIDE

ORL RAT LD50	273	mg/kg
--------------	-----	-------

#### SODIUM HYDROXIDE

IPR	MUS	LD50	40	mg/kg
ORL	RBT	LDLO	500	mg/kg

#### **DISODIUM METASILICATE**

ORL	MUS	LD50	770	mg/kg
ORL	RAT	LD50	1153	mg/kg

# ALKYLAMINE (C12-18)

DERMAL	RAT	LD50	> 5000	mg/kg
ORAL	MUS	LD50	> 5000	mg/kg

# Non-classified ingredients:

# NON-IONIC SURFACTANT;

ORL	RAT	LD50	> 5000	mg/kg
SKN	RBT	LD50	> 2000	mg/kg

# Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

# Symptoms / routes of exposure

Skin contact:	Blistering may occur. Progressive ulceration will occur if treatment is not immediate.	
Eye contact:	There may be pain and redness. The vision may become blurred. The eyes may water	
	profusely. Corneal burns may occur. May cause permanent damage.	
Ingestion:	Corrosive burns may appear around the lips. Blood may be vomited. There may be	
	bleeding from the mouth or nose.	
Inhalation:	There may be shortness of breath with a burning sensation in the throat. Exposure may	
	cause coughing or wheezing.	
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.	
Other information:	Not applicable.	
Section 12: Ecological information		

#### SUPERCLEAN {FROM BATCH NO. 0171000}

## 12.1. Toxicity

## Hazardous ingredients:

#### ALKYLAMINE (C12-18)

Daphnia magna	EC50	> 1 - < 10	mg/l
FISH	96H LC50	> 10 - <100	mg/l

#### NON-IONIC SURFACTANT;

Daphnia magna	48H EC50	> 100	mg/l
FISH	96H LC50	96.64	mg/l
MAYFLIES (Hexagenia sp.)	96H LC50	> 100	mg/l
Pseudomonas Putida	48H EC0	> 560	mg/l
Scenedesmus Subspicatus	48H EC50	10-100	mg/l

#### 12.2. Persistence and degradability

Persistence and degradability: The biodegradability of the surfactants contained in this product are in accordance with

the requirements of the EU Detergent Regulation (EC/648/2004). Biodegradable.

## 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

#### 12.4. Mobility in soil

Mobility: Readily absorbed into soil. Soluble in water.

# 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

# Section 13: Disposal considerations

# 13.1. Waste treatment methods

Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal
	company.
Recovery operations:	Recovery of components used for pollution abatement.
Waste code number:	16 03 03
Disposal of packaging:	Clean with water. Dispose of as normal industrial waste. May be reused following
	decontamination.
NB:	The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

#### SUPERCLEAN {FROM BATCH NO. 0171000}

Page: 8

# Section 14: Transport information 14.1. UN number UN number: UN1719 14.2. UN proper shipping name Shipping name: CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM HYDROXIDE) 14.3. Transport hazard class(es) Transport class: 8 14.4. Packing group Packing group: || 14.5. Environmental hazards Environmentally hazardous: No Marine pollutant: No 14.6. Special precautions for user Special precautions: No special precautions. Tunnel code: E Transport category: 2 IMDG seg. group: 18 Section 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Specific regulations: Regulation (EC) No 1272/2008 of the European Parliament and of the Council of the 16th December 2008 on Classification, labeling and packaging of Substances and Mixtures. The biodegradability of the surfactants contained in this product are in accordance with the requirements of the EU Detergent Regulation (EC/648/2004). 15.2. Chemical Safety Assessment Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier. Section 16: Other information Other information Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 \* indicates text in the SDS which has changed since the last revision. Phrases used in s.2 and s.3: H302: Harmful if swallowed.

## SUPERCLEAN {FROM BATCH NO. 0171000}

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.